


Single Screen Cable with braid



RG-178 B/U							GROUP	CODE
							18	A-CAB-18-50
Ω	CENTER COND		DIELECTRIC		SCREEN		JACKET	
	MATERIAL	ϕ	MATERIAL	ϕ	MATERIAL	ϕ	MATERIAL	ϕ
50 ± 2	FeC+Cu+Ag	$\phi 0.3/7 \times 0.1$	PTFE	0.83	Cu+Ag	1.30	FEP	1.8
MHZ	10	100	200	400	700	1000	2500	5000
dB/100m	15	50	70	95	135	170	260	390
Watts	600	190	130	90	70	55	35	25

RG-316/U							GROUP	CODE
							25A	A-CAB-25A-50
Ω	CENTER COND		DIELECTRIC		SCREEN		JACKET	
	MATERIAL	ϕ	MATERIAL	ϕ	MATERIAL	ϕ	MATERIAL	ϕ
50 ± 2	FeC+Cu+Ag	$\phi 0.54/7 \times 0.18$	PTFE	1.54	Cu+Ag	2	FEP	2.5
MHZ	10	100	200	400	700	1000	2500	5000
dB/100m	8	30	40	60	80	90	160	210
Watts	1400	410	300	210	170	140	85	60

RG-174/U							GROUP	CODE
							26	A-CAB-26-50
Ω	CENTER COND		DIELECTRIC		SCREEN		JACKET	
	MATERIAL	ϕ	MATERIAL	ϕ	MATERIAL	ϕ	MATERIAL	ϕ
50 ± 2	FeC+Cu	$\phi 0.48/7 \times 0.16$	PE	1.5	Cu+Sn	2	PVC	2.8
MHZ	10	100	200	400	700	1000	2500	5000
dB/100m	9	25	40	60	80	95	170	230
Watts	450	140	100	70	50	40	25	15

RG-188 A/U						GROUP	CODE	
						26A	A-CAB-26A-50	
Ω	CENTER COND		DIELECTRIC		SCREEN		JACKET	
	MATERIAL	$\emptyset$	MATERIAL	$\emptyset$	MATERIAL	$\emptyset$	MATERIAL	$\emptyset$
50 $\pm$ 2	FeC+Cu+Ag	$\emptyset$ 0.54/7x0.18	PTFE	1.54	Cu+Ag	2	PFA	2.6
MHZ	10	100	200	400	700	1000	2500	5000
dB/100m	9	30	40	60	75	90	160	210
Watts	1400	420	300	210	160	140	85	60

RG-58 C/U						GROUP	CODE	
						50	A-CAB-50-50	
Ω	CENTER COND		DIELECTRIC		SCREEN		JACKET	
	MATERIAL	$\emptyset$	MATERIAL	$\emptyset$	MATERIAL	$\emptyset$	MATERIAL	$\emptyset$
50 $\pm$ 2	Cu+Sn	$\emptyset$ 0.9/19x0.18	PE	2.95	Cu+Sn	3.6	PVC	4.9
MHZ	10	100	200	400	700	1000	2500	5000
dB/100m	5	15	20	30	45	55	90	150
Watts	1400	400	300	200	150	125	70	45

RG-213/U						GROUP	CODE	
						103	A-CAB-103-50	
Ω	CENTER COND		DIELECTRIC		SCREEN		JACKET	
	MATERIAL	$\emptyset$	MATERIAL	$\emptyset$	MATERIAL	$\emptyset$	MATERIAL	$\emptyset$
50 $\pm$ 2	Cu	$\emptyset$ 2.25/7x0.75	PE	7.25	Cu	8.10	PVC	10.3
MHZ	10	100	200	400	700	1000	2500	5000
dB/100m	2	6	9	15	20	25	50	80
Watts	5000	1800	1000	700	500	400	210	140

RG-179 B/U						GROUP	CODE	
						25	A-CAB-25-75	
Ω	CENTER COND		DIELECTRIC		SCREEN		JACKET	
	MATERIAL	$\emptyset$	MATERIAL	$\emptyset$	MATERIAL	$\emptyset$	MATERIAL	$\emptyset$
75 $\pm$ 3	FeC+Cu+Ag	$\emptyset$ 0.3/7x0.1	PTFE	1.53	Cu+Ag	2	FEP	2.54
MHZ	10	100	200	400	700	1000	2500	5000
dB/100m	9	30	40	60	80	100	180	220
Watts	1100	380	260	180	140	110	70	50

RG-187 A/U						GROUP	CODE	
						26B	A-CAB-26B-75	
Ω	CENTER COND		DIELECTRIC		SCREEN		JACKET	
	MATERIAL	$\emptyset$	MATERIAL	$\emptyset$	MATERIAL	$\emptyset$	MATERIAL	$\emptyset$
75 $\pm$ 3	FeC+Cu+Ag	$\emptyset$ 0.3/7x0.1	PTFE	1.53	Cu+Ag	2	PFA	2.6
MHZ	10	100	200	400	700	1000	2500	5000
dB/100m	9	30	40	60	80	100	180	220
Watts	1100	380	260	180	140	110	70	50

RG-59 B/U						GROUP	CODE	
						61	A-CAB-61-75	
Ω	CENTER COND		DIELECTRIC		SCREEN		JACKET	
	MATERIAL	$\emptyset$	MATERIAL	$\emptyset$	MATERIAL	$\emptyset$	MATERIAL	$\emptyset$
75 $\pm$ 3	Fe+Cu	0.58	PE	3.70	Cu	4.40	PVC	6.1
MHZ	10	100	200	400	700	1000	2500	5000
dB/100m	3.5	12	16	25	35	42	52	90
Watts	1800	500	350	250	170	410	80	50

RG-11 A/U (MIL)						GROUP	CODE	
						103A	A-CAB-61-75	
Ω	CENTER COND		DIELECTRIC		SCREEN		JACKET	
	MATERIAL	$\emptyset$	MATERIAL	$\emptyset$	MATERIAL	$\emptyset$	MATERIAL	$\emptyset$
75 $\pm$ 3	Cu+Sn	$\emptyset$ 1.2/7x0.4	PE	7.25	Cu	8.10	PVC	10.3
MHZ	10	100	200	400	700	1000	2500	5000
dB/100m	2	7	10	15	22	30	50	90
Watts	4000	1200	800	550	400	300	120	100