


Telephonic double screen cable with braid



BT-3002							GROUP	CODE
							36	A-CAB-36-75
Ω	CENTER COND		DIELECTRIC		SCREEN		JACKET	
	MATERIAL	$\emptyset$	MATERIAL	$\emptyset$	MATERIAL	$\emptyset$	MATERIAL	$\emptyset$
75 $\pm$ 2	Cu	0.31	PE	1.95	Cu/Cu	2.35/2.75	PVC	3.55
MHZ	1	10	30	50	80	100	150	200
dB/100m	2.2	6.9	11.7	14.6	19	22.4	27	32.1

FLEX-5							GROUP	CODE
							47	A-CAB-47-75
Ω	CENTER COND		DIELECTRIC		SCREEN		JACKET	
	MATERIAL	$\emptyset$	MATERIAL	$\emptyset$	MATERIAL	$\emptyset$	MATERIAL	$\emptyset$
75 $\pm$ 2	Cu	$\emptyset 0.57/7 \times 0.19$	PE	2.8	Cu+Sn/Cu+Sn	3.8	PVC	4.7
MHZ	1	10	30	50	80	100	150	200
dB/100m	1.5	4.7	7.7	10.1	13	14.8	18.2	22