


Telephonic double Screen cable with tape and braid



FLEX-2						GROUP	CODE	
						27	A-CAB-27-75	
Ω	CENTER COND		DIELECTRIC		SCREEN		JACKET	
	MATERIAL	$\emptyset$	MATERIAL	$\emptyset$	MATERIAL	$\emptyset$	MATERIAL	$\emptyset$
75 $\pm$ 2	Cu+Ag	0.29	PE	1.7	Al/Cu+Sn	2.3	PVC	2.56

MHZ	1	10	30	50	80	100
dB/100m	2.4	8	14	16.8	20	24.7

FLEX-3						GROUP	CODE	
						35	A-CAB-35-75	
Ω	CENTER COND		DIELECTRIC		SCREEN		JACKET	
	MATERIAL	$\emptyset$	MATERIAL	$\emptyset$	MATERIAL	$\emptyset$	MATERIAL	$\emptyset$
75 $\pm$ 2	Cu	0.4	PE	2.3	Al/Cu+Sn	3	PVC	3.5
MHZ	1	10	30	50	80	100	150	200
dB/100m	2	6.5	10	12.9	15.2	17.1	21	24.3

FLEX-6						GROUP	CODE	
						60	A-CAB-60-75	
Ω	CENTER COND		DIELECTRIC		SCREEN		JACKET	
	MATERIAL	$\emptyset$	MATERIAL	$\emptyset$	MATERIAL	$\emptyset$	MATERIAL	$\emptyset$
75 $\pm$ 2	Cu	0.8	PE	3.9	Al/PE/Al/Cu+Sn	4.75	PVC	6

MHZ	1	10	30	50	80	100
dB/100mts	1.2	4	5.5	6.9	8.6	10

ST-212						GROUP	CODE	
						31	A-CAB-31-75	
Ω	CENTER COND		DIELECTRIC		SCREEN		JACKET	
	MATERIAL	$\emptyset$	MATERIAL	$\emptyset$	MATERIAL	$\emptyset$	MATERIAL	$\emptyset$
75 $\pm$ 2	Cu	0.4	PE	1.9	Al/Cu	2.5	PE	3.1

MHZ	1	10	30	50	80	100
dB/100mts	1.7	6	9	12	15	17